# Automatically Generating CS Learning Materials with Large Language Models

Stephen MacNeil Temple University Philadelphia, PA, USA stephen.macneil@temple.edu

Paul Denny The University of Auckland Auckland, New Zealand paul@cs.auckland.ac.nz Andrew Tran Temple University Philadelphia, PA, USA andrew.tran10@temple.edu

Joanne Kim Temple University Philadelphia, PA, USA joanne.kim@temple.edu

Seth Bernstein Temple University Philadelphia, PA, USA seth.bernstein@temple.edu Juho Leinonen Aalto University Espoo, Finland juho.2.leinonen@aalto.fi

> Arto Hellas Aalto University Espoo, Finland arto.hellas@aalto.fi

Sami Sarsa Aalto University Espoo, Finland sami.sarsa@aalto.fi

## ABSTRACT

Recent breakthroughs in Large Language Models (LLMs), such as GPT-3 and Codex, now enable software developers to generate code based on a natural language prompt. Within computer science education, researchers are exploring the potential for LLMs to generate code explanations and programming assignments using carefully crafted prompts. These advances may enable students to interact with code in new ways while helping instructors scale their learning materials. However, LLMs also introduce new implications for academic integrity, curriculum design, and software engineering careers. This workshop will demonstrate the capabilities of LLMs to help attendees evaluate whether and how LLMs might be integrated into their pedagogy and research. We will also engage attendees in brainstorming to consider how LLMs will impact our field.

## CCS CONCEPTS

• Social and professional topics → Computing education; • Computing methodologies → Natural language generation.

#### KEYWORDS

large language models, explanations, computer science education

#### **ACM Reference Format:**

Stephen MacNeil, Andrew Tran, Juho Leinonen, Paul Denny, Joanne Kim, Arto Hellas, Seth Bernstein, and Sami Sarsa. 2023. Automatically Generating CS Learning Materials with Large Language Models. In *Proceedings of the* 54th ACM Technical Symposium on Computing Science Education V. 2 (SIGCSE 2023), March 15–18, 2023, Toronto, ON, Canada. ACM, New York, NY, USA, 3 pages. https://doi.org/10.1145/3545947.3569630

SIGCSE 2023, March 15-18, 2023, Toronto, ON, Canada

© 2023 Copyright held by the owner/author(s).

ACM ISBN 978-1-4503-9433-8/23/03.

https://doi.org/10.1145/3545947.3569630

#### **1** INTRODUCTION

Educational technology can have a transformational effect on teaching and learning in computer science classrooms. Intelligent tutoring systems provide students with real-time formative feedback on their work to help them get unstuck [17] when peers and instructors are not available. Online tutorials and videos have enabled instructors to 'flip their classes' and consider new methods for content delivery [6, 13], making necessary space for active learning and collaboration during class time. Anchored collaboration [4, 12] and subgoal labeling [3, 11] have created more engaging online learning spaces where students co-construct their knowledge and build on each other's ideas. Clicker quizzes and peer instruction methods enable instructors to evaluate students' misconceptions within large classes in real-time [2]. Technology advances and education technology can not only improve classroom experiences but also create new models and opportunities for teaching and learning.

Large language Models (LLMs) are similarly poised to impact computer science classrooms. LLMs are machine learning models that are trained on a large amount of text data. These models are designed to learn the statistical properties of language in order to predict the next word in a sequence or generate new text. LLMs are capable of natural language understanding and text generation which enables many use cases ranging from creative story writing [22] to using LLMs to write about themselves [20]. In computer science classroom settings, LLMs have the potential to provide high-quality code explanations for students at scale [14, 15, 19].

In this workshop, we will demonstrate LLMs' capabilities to inspire instructors and researchers to consider how this new technology might integrate with their existing pedagogy. We also will discuss the potential impacts that LLMs might have on curricula and students' careers. Given that LLMs can generate code based on a natural language prompt, the skills and job requirements may change for software engineers. Software engineers may take on more design-oriented roles and serve as software architects while LLMs write (most of) the source code. This might lead to courses that focus on prompt engineering, code evaluation, and debugging.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

#### SIGCSE 2023, March 15-18, 2023, Toronto, ON, Canada



Figure 1: An example code snippet with an explanation generated using GPT-3.

## 1.1 Generating Explanations of Code

High-quality code explanations enable students to better understand code and efficiently learn programming concepts [16]. Common automated methods to explain code snippets and coding concepts include tracing program execution [7], defining terms [9], providing hints [18], and presenting feedback on errors [16, 18]. These techniques either leverage heuristics which limits their generalizability or rely on instructors to manually configure and pregenerate content. However, LLMs have the potential to scale these efforts and generalize to multiple languages and programming contexts. Our research team has developed code-explanations with the LLMs Codex [19] and GPT-3 [14, 15] which resulted in the development of a design space for LLM-generated code explanations [15].

#### 1.2 Generating Assignments

Students benefit from frequent hands-on practice with programming assignments [10]. Assignments are most engaging when they are personalized toward a student's personal interests [8] and when they provide sufficient instructions and examples. However, it is time-consuming to create and maintain high-quality assignments. Previous researchers have techniques to automatically generate assignments, but they require instructors to build and maintain templates [21]. To provide high-quality assignments at scale, our team has developed prompts to generate programming assignments using OpenAI Codex [19]. Based on these prior experiences, we will share best practices with attendees.

#### 1.3 Generating Code

Large language models have the potential to change the roles and responsibilities of software developers. For example, GitHub's Copilot can generate code for programmers based on natural language prompts [1]. The generated code is high enough quality to lead researchers to raise concerns about cheating [5]. This ability to generate high-quality code may affect software engineering jobs. Engineers may be expected to elicit code requirements, write prompts, and debug the resulting code. In the workshop, we will explore how LLMs may affect the way we prepare our students.

#### 2 WORKSHOP ATTENDEES

Our workshop is designed primarily with educators and researchers in mind; however, we plan to encourage student attendees at SIGCSE to participate in our workshop and share their perspectives. Our research team consists of faculty, researchers, and undergraduate students to provide a balanced perspective and to make the workshop welcoming to attendees at various points in their careers. We have considered additional methods to make our workshop an inclusive space. We greet attendees and create space for them to share their names and the pronouns they use. We will also provide building information including the nearest gender-neutral bathroom, elevator, and quiet rooms to reduce barriers to participation.

## **3 SCHEDULE**

The goal of our workshop is to give participants an awareness of the capabilities of LLMs to support their pedagogy, to get practice using LLMs and learn best practices in prompt engineering, and to brainstorm with their colleagues the ways large language models can support their pedagogy.

- **Pre-workshop Activities:** We will share a tutorial to guide attendees through creating Github Copilot and OpenAI accounts with sample prompts to try on their own before the workshop. Free credits are currently available.
- Introductions (20 mins): The team and attendees introduce themselves. Attendees will engage in a speed dating activity to get to know others one-on-one.
- **Demonstration (10 mins):** Our team will demonstrate the capabilities of GPT-3 (supported by materials).
- **Guided Activity 1 (20 mins):** Participants will work in pairs to solve programming assignments with Github Copilot.
- Break (10 mins)
- Guided Activity 2 (25 mins): Participants will work in pairs to generate code explanations using GPT-3.
- Guided Activity 3 (25 mins): Participants will work in pairs to create programming assignments using Codex.
- Break (10 mins)
- Group brainstorming (25 mins): As a think-pair-share activity, attendees will work in pairs on a shared Miro board to brainstorm ideas for integrating LLMs into their courses.
- Exploratory learning (25): attendees will use our resources to further explore LLMs, explore ways to realize brainstormed ideas, and explore LLMs beyond the workshop activities, including testing unique prompt ideas.
- **Debrief (10 mins):** Summarization of the workshop and key insights, initiating collaborations, etc.

#### **4 DISSEMINATING WORKSHOP RESULTS**

Our workshop team will create a website leading up to the workshop which will host and maintain resources on using LLMs in CS classrooms. After the workshop, we will update the website with content from the Miro boards and a joint reflection written by workshop organizers on the challenges and opportunities identified by attendees. This idea is inspired by existing websites with advice for CS Teaching (e.g.: *https://www.csteachingtips.org/*).

#### **5 ORGANIZERS**

Our team has extensive experience using LLMs to write code [5], generate code explanations [14, 15], and create assignments [19].

Automatically Generating CS Learning Materials with Large Language Models

Code Snippet	2. Identifying Common Mistakes
Given Java Code: int algorithm (int arr[], int I, int r, int x)	List the common mistakes a beginner programmer might make while writing this code. How can a beginner programmer avoid each of these mistakes?
{	A beginner programmer might make the following mistakes while writing this code:
if (r >= I) {	<ol> <li>Not understanding how binary search works - Binary search is a search algorithm that searches for an element in a sorted array by repeatedly dividing the array in half and comparing the element to the middle element of the</li> </ol>
int mid = I + (r - I) / 2;	array. If the element is not found, the search continues in the lower or upper half of the array, depending on whether the element is less than or greater than the middle element, respectively.
if (arr[mid] == x) return mid;	2. Not correctly implementing the binary search algorithm - In order to correctly implement binary search, the programmer must ensure that the array is sorted before beginning the search. Furthermore, the programmer must correctly handle the case when the element is not found in the array.
if (arr[mid] > x)	<ol> <li>Not using the proper data structures - Binary search can only be performed on an array. If the programmer is using a linked list, for example, binary search cannot be used.</li> </ol>
return algorithm(arr, I, mid - 1, x);	<ol> <li>Not using the proper variable types - Binary search requires that the array be of type int. If the programmer is using a different data type, binary search will not work.</li> </ol>
return algorithm(arr, mid + 1, r, x); } return -1;	5. Not understanding the time complexity of binary search - Binary search has a time complexity of O(log n), which means that it is a very efficient algorithm. If the programmer is not aware of this, they may try to improve the efficiency of the algorithm by making unnecessary changes.
}	
1. Time Complexity	3. Summarizing Code
What is the time complexity of this code and why?	Summarize and explain the goal of this code.
The time complexity of this code is O(log n). This is because the code is using a Binary Search algorithm, which halves the search space each time it is called.	The goal of this code is to find the index of a given element in an array using a binary search algorithm. The code takes in an array, the left and right indices of the array, and the element to be found as parameters. If the element is found, the code returns the index of the element. If the element is not found, the code returns -1.

#### Figure 2: An example code snippet with an analogy-based explanation generated.

Our team includes three faculty members, two researchers, and three undergraduate students who have all published research on using LLMs for CS Education. We strongly believe that this diverse convergence of faculty, researchers, and students will be essential to ensure that LLMs have the most positive potential impact on computing education.

#### REFERENCES

- Mark Chen, Jerry Tworek, Heewoo Jun, Qiming Yuan, Henrique Ponde de Oliveira Pinto, Jared Kaplan, Harri Edwards, Yuri Burda, Nicholas Joseph, Greg Brockman, et al. 2021. Evaluating large language models trained on code. arXiv preprint arXiv:2107.03374 (2021).
- [2] Catherine H Crouch and Eric Mazur. 2001. Peer instruction: Ten years of experience and results. American journal of physics 69, 9 (2001), 970–977.
- [3] Adrienne Decker, Briana B Morrison, and Lauren Margulieux. 2020. Using subgoal labeling in teaching introductory programming. *Journal of Computing Sciences* in Colleges 35, 8 (2020), 249–251.
- [4] Brian Dorn, Larissa B Schroeder, and Adam Stankiewicz. 2015. Piloting TrACE: Exploring spatiotemporal anchored collaboration in asynchronous learning. In Proceedings of the 18th ACM Conference on Computer Supported Cooperative Work & Social Computing. 393–403.
- [5] James Finnie-Ansley, Paul Denny, Brett A. Becker, Andrew Luxton-Reilly, and James Prather. 2022. The Robots Are Coming: Exploring the Implications of OpenAI Codex on Introductory Programming. In Australasian Computing Education Conference (Virtual Event, Australia) (ACE '22). ACM, New York, NY, USA, 10–19. https://doi.org/10.1145/3511861.3511863
- [6] Michail N. Giannakos, John Krogstie, and Nikos Chrisochoides. 2014. Reviewing the Flipped Classroom Research: Reflections for Computer Science Education. In Proceedings of the Computer Science Education Research Conference (Berlin, Germany) (CSERC '14). Association for Computing Machinery, New York, NY, USA, 23–29. https://doi.org/10.1145/2691352.2691354
- [7] Philip J Guo. 2013. Online python tutor: embeddable web-based program visualization for cs education. In Proceeding of the 44th ACM technical symposium on Computer science education. 579–584.
- [8] Michael Haungs, Christopher Clark, John Clements, and David Janzen. 2012. Improving first-year success and retention through interest-based CS0 courses. In Proceedings of the 43rd ACM technical symposium on Computer Science Education. 589-594.
- [9] Andrew Head, Codanda Appachu, Marti A Hearst, and Björn Hartmann. 2015. Tutorons: Generating context-relevant, on-demand explanations and demonstrations of online code. In 2015 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC). IEEE, 3–12.
- [10] Lars Josef Höök and Anna Eckerdal. 2015. On the Bimodality in an Introductory Programming Course: An Analysis of Student Performance Factors. In 2015 International Conference on Learning and Teaching in Computing and Engineering. 79–86. https://doi.org/10.1109/LaTiCE.2015.25

- [11] Juho Kim, Robert C Miller, and Krzysztof Z Gajos. 2013. Learnersourcing subgoal labeling to support learning from how-to videos. In CHI'13 Extended Abstracts on Human Factors in Computing Systems. 685–690.
- [12] L Kolodner. 1998. Integrating and guiding collaboration: Lessons learned in computer-supported collaborative learning research at Georgia Tech. Proceedings of Computer Support for Collaborative Learning '97 (cscl'97) (1998), 91.
- [13] Michael J. Lee and Amy J. Ko. 2015. Comparing the Effectiveness of Online Learning Approaches on CS1 Learning Outcomes. In Proceedings of the Eleventh Annual International Conference on International Computing Education Research (Omaha, Nebraska, USA) (ICER '15). Association for Computing Machinery, New York, NY, USA, 237–246. https://doi.org/10.1145/2787622.2787709
- [14] Stephen MacNeil, Andrew Tran, Arto Hellas, Joanne Kim, Sami Sarsa, Paul Denny, Seth Bernstein, and Juho Leinonen. 2023. Experiences from Using Code Explanations Generated by Large Language Models in a Web Software Development E-Book. In Proceedings of the ACM Technical Symposium on Computing Science Education (Toronto, Canada). ACM, 6 pages. https://doi.org/10.1145/3545945.3569785
- [15] Stephen MacNeil, Andrew Tran, Dan Mogil, Seth Bernstein, Erin Ross, and Ziheng Huang. 2022. Generating Diverse Code Explanations Using the GPT-3 Large Language Model. In Proceedings of the 2022 ACM Conference on International Computing Education Research - Volume 2 (Lugano and Virtual Event, Switzerland) (ICER '22). Association for Computing Machinery, New York, NY, USA, 37–39. https://doi.org/10.1145/3501709.3544280
- [16] Samiha Marwan, Ge Gao, Susan Fisk, Thomas W. Price, and Tiffany Barnes. 2020. Adaptive Immediate Feedback Can Improve Novice Programming Engagement and Intention to Persist in Computer Science. In Proceedings of the 2020 ACM Conference on International Computing Education Research (Virtual Event, New Zealand) (ICER '20). Association for Computing Machinery, New York, NY, USA, 194–203. https://doi.org/10.1145/3372782.3406264
- [17] Samiha Marwan, Nicholas Lytle, Joseph Jay Williams, and Thomas Price. 2019. The Impact of Adding Textual Explanations to Next-Step Hints in a Novice Programming Environment. In Proceedings of the 2019 ACM Conference on Innovation and Technology in Computer Science Education (Aberdeen, Scotland Uk) (TIiCSE '19). Association for Computing Machinery, New York, NY, USA, 520–526.
- [18] Thomas W Price, Yihuan Dong, and Dragan Lipovac. 2017. iSnap: towards intelligent tutoring in novice programming environments. In Proceedings of the 2017 ACM SIGCSE Technical Symposium on computer science education. 483–488.
- [19] Sami Sarsa, Paul Denny, Arto Hellas, and Juho Leinonen. 2022. Automatic Generation of Programming Exercises and Code Explanations Using Large Language Models. In Proceedings of the 2022 ACM Conference on International Computing Education Research - Volume 1 (Lugano and Virtual Event, Switzerland) (ICER '22). Association for Computing Machinery, New York, NY, USA, 27–43. https://doi.org/10.1145/3501385.3543957
- [20] Almira Osmanovic Thunström and Steinn Steingrimsson. 2022. Can GPT-3 write an academic paper on itself, with minimal human input? (2022).
- [21] Akiyoshi Wakatani and Toshiyuki Maeda. 2015. Automatic generation of programming exercises for learning programming language. In 2015 IEEE/ACIS 14th International Conference on Computer and Information Science (ICIS). 461–465.
- [22] Ann Yuan, Andy Coenen, Emily Reif, and Daphne Ippolito. 2022. Wordcraft: Story Writing With Large Language Models. In 27th International Conference on Intelligent User Interfaces. 841–852.